

(1) 平面・システム画面で、「暑さの監視」をPCで確認できます

(2) 履歴、計測値を10分周期で記録します

(3) 信号出力が可能。「注意喚起ランプ」を設置できる

組み合わせ、拡張性が多様です

- ・無線通信装置の設置可能。工事削減
- ・インターネット(客先契約)に接続すれば、メール通報できる
- ・現地でも「見える化」する、表示画面組み合わせ

A	B	C	D	E	F	G	H	I	K
1	屋外	室内	屋外	温湿度	温湿度	温湿度	温湿度	温湿度	温湿度
2	WBGT	温度	湿度	WBGT	温度	湿度	WBGT	温度	湿度
3	°C	%RH	°C	°C	%RH	°C	°C	%RH	°C
4	2025/7/1 0:00	29	29	37.4	25	37.4	25	25	37.4
5	2025/7/1 0:00	26.9	24.0	32.5	24.8	26.5	24.0	24.8	21
6	2025/7/1 0:00	29	29	37.0	29	37.0	29	29	37.0
7	2025/7/1 0:40	27.9	27.9	33.5	27.9	37.8	27.9	27.9	33.5
8	2025/7/1 0:50	23.8	23.5	19.4	23.5	23.8	19.4	23.5	23.8
9	2025/7/1 1:00	29.86	28.86	15.8	28.86	29.86	18.6	28.86	29.86
10	2025/7/1 1:00	29.66	29.66	12.2	29.66	29.66	12.2	29.66	29.66
11	2025/7/1 1:20	29.46	28.46	9.2	28.46	28.46	9.2	28.46	29.46
12	2025/7/1 1:20	29.26	28.26	6.7	28.26	28.26	6.7	28.26	29.26
13	2025/7/1 1:40	29.06	29.06	4.6	29.06	29.06	4.6	29.06	29.06
14	2025/7/1 1:40	24.86	24.86	3	24.86	24.86	3	24.86	24.86
15	2025/7/1 2:00	24.66	24.66	2	24.66	24.66	2	24.66	24.66
16	2025/7/1 2:00	24.46	24.46	1.4	24.46	24.46	1.4	24.46	24.46
17	2025/7/1 2:20	24.26	24.26	1.4	24.26	24.26	1.4	24.26	24.26
18	2025/7/1 2:30	24.06	24.06	2	24.06	24.06	2	24.06	24.06
19	2025/7/1 2:40	23.86	23.86	3	23.86	23.86	3	23.86	23.86
20	2025/7/1 2:40	23.66	23.66	4.6	23.66	23.66	4.6	23.66	23.66
21	2025/7/1 2:40	23.46	23.46	6.7	23.46	23.46	6.7	23.46	23.46
22	2025/7/1 2:40	23.26	23.26	8.2	23.26	23.26	8.2	23.26	23.26
23	2025/7/1 2:40	23.06	23.06	12.2	23.06	23.06	12.2	23.06	23.06
24	2025/7/1 2:40	22.86	22.86	15.6	22.86	22.86	15.6	22.86	22.86
25	2025/7/1 2:40	22.66	22.66	19.4	22.66	22.66	19.4	22.66	22.66
26	2025/7/1 2:50	22.46	22.46	23.8	22.46	22.46	23.8	22.46	22.46
27	2025/7/1 2:50	22.26	22.26	27.9	79.3	84.6	27.9	79.3	84.6
28	2025/7/1 2:50	79.6	81.8	32.5	78.6	81.5	32.5	78.6	81.5
29	2025/7/1 2:50	81.8	83.0	32.5	81.8	83.0	32.5	81.8	83.0
30	2025/7/1 2:50	79.3	81.5	42.0	78.3	81.5	42.0	78.3	81.5
31	2025/7/1 2:50	79.3	81.5	42.0	78.3	81.5	42.0	78.3	81.5
32	2025/7/1 2:50	78.6	81.1	47.4	78.6	81.1	47.4	78.6	81.1
33	2025/7/1 2:50	78.6	81.1	47.4	78.6	81.1	47.4	78.6	81.1
34	2025/7/1 2:50	77.7	80.6	52.5	77.7	80.6	52.5	77.7	80.6
35	2025/7/1 2:50	76.4	80.2	57.5	76.4	80.2	57.5	76.4	80.2
36	2025/7/1 2:50	74.0	83.8	62.5	74.0	83.8	62.5	74.0	83.8
37	2025/7/1 2:50	70.9	81.1	67.4	70.9	81.1	67.4	70.9	81.1
38	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
39	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
40	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
41	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
42	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
43	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
44	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
45	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
46	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
47	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
48	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
49	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
50	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
51	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
52	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
53	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
54	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
55	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
56	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
57	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
58	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
59	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
60	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
61	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
62	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
63	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
64	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
65	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
66	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
67	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
68	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
69	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
70	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
71	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
72	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
73	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
74	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
75	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
76	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
77	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
78	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
79	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
80	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
81	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
82	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
83	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
84	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
85	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
86	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
87	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
88	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
89	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
90	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
91	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
92	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
93	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
94	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
95	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
96	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
97	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
98	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
99	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
100	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
101	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
102	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
103	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
104	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
105	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
106	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
107	2025/7/1 2:50	70.9	81.1	72	70.9	81.1	72	70.9	81.1
108	2025/7/1 2:50								